

CONTEMPORARY MENTAL HEALTH ISSUES IN PAKISTAN: FOCUS ON FORENSIC PSYCHIATRY

DR AHMED MASHHOOD

Clinical Director, Forensic Mental Health Service, Canberra Health Services, Canberra, Australia.



CORRESPONDENCE: **DR AHMED MASHHOOD**

Email: amashhood2@yahoo.com

ABSTRACT

Mental health in Pakistan faces critical challenges, including cultural stigma, socioeconomic barriers, inadequate healthcare infrastructure, and the psychological toll of conflict. Widespread stigma fosters discrimination and silence, highlighting the need for awareness and education. Economic hardship and limited access to education further exacerbate mental health struggles, while an acute shortage of professionals and facilities hampers care. Youth face growing pressures from academics and social media, necessitating school-based counselling services. Prisons and forensic settings lack proper mental health support, endangering both inmates and public safety. To address these issues, policymakers must prioritise increased funding, widespread mental health screenings, community-based interventions, forensic services, and staff training in correctional facilities. Mobile units and rehabilitation programs should be integrated into public health strategies. This editorial emphasises the urgent need for comprehensive reforms to address the mental health crisis in Pakistan, focusing on systemic improvements and societal change.

KEYWORDS

Community Health Services; Health Policy; Mental Health; Pakistan; Prisons; Public Health Infrastructure; Stigma.

INTRODUCTION

In recent years, Pakistan has made significant strides in various sectors, yet mental health remains a profoundly under-addressed issue. The contemporary challenges faced by Pakistan in the realm of mental health are multifaceted, stemming from a complex interplay of cultural, socioeconomic, and geo-political systemic factors.

Cultural Stigma and Mental Health

One of the foremost challenges is the pervasive stigma associated with mental health issues.¹ Cultural norms and societal attitudes often frame mental illness as a taboo subject, leading to marginalisation and discrimination against those affected.² This stigma inhibits individuals from seeking help, perpetuating a cycle of silence and neglect.³ To mitigate this, there needs to be a concerted effort to educate the public, challenge misconceptions, and promote a more compassionate and informed perspective on mental health.⁴ Academic institutions and media can play a vital role in this regard.

Socioeconomic Barriers

Pakistan's socioeconomic landscape further complicates the mental health scenario. Widespread poverty, unemployment, and lack of access to quality education create an environment where mental health issues can thrive.^{5,6} Economic instability exacerbates stress and anxiety, contributing to a higher prevalence of mental disorders.^{7,8} Addressing these socioeconomic determinants is crucial. Policies aimed at poverty alleviation, job creation, and equitable access to education can have a positive impact on the nation's mental health.⁹

Systemic Deficiencies in Mental Health Care

The country's mental health care infrastructure is grossly inadequate. With a shortage of mental health professionals, insufficient funding, and lack of specialised facilities, the system struggles to meet the needs of those requiring care.^{10,11} According to recent statistics, Pakistan has fewer than one psychiatrist per 100,000 people, far below the WHO's recommended ratio.^{3,12} Expanding training programs for mental health professionals and increasing budget allocations for mental health services are essential steps toward building a more robust care system.⁶

Impact of Conflict and Displacement

The ongoing man-made disasters and geopolitical instability in the region and Pakistan have profound psychological effects on affected populations.^{1,4} Displacement, loss of loved ones, and exposure to violence can lead to a range of mental health issues, including post-traumatic stress disorder (PTSD), depression, and anxiety.^{2,7} Providing targeted mental health support and services to these communities is imperative. This includes mobile mental health units, community-based interventions, and integrating mental health services into primary health care.¹³

Youth Mental Health Crisis

Pakistan is witnessing a burgeoning youth population grappling with unique mental health challenges.^{3,4} Academic pressure, unemployment, and social media influences contribute to rising rates of depression, anxiety, and suicidal tendencies among young people.⁵ Schools and universities must prioritize mental health by incorporating counselling services, promoting mental health literacy, and creating supportive environments where students feel safe to express their concerns.¹⁴

The Absence of Adequate Mental Health Services in Pakistan's Forensic and Prison System

In the country, intersection of mental health and the criminal justice system reveals a significant gap: the absence of adequate mental health services in forensic and prison settings.² This oversight not only affects the well-being of incarcerated individuals but also has broader implications for public safety, rehabilitation, and human rights.¹⁰

Systemic Neglect and Its Consequences

Prisons in Pakistan are notoriously overcrowded, understaffed, and under-resourced.¹² Within this context, individuals with mental health issues are particularly vulnerable. The lack of proper mental health assessment and treatment means that many prisoners with mental illnesses go undiagnosed and untreated.⁶ This neglect can exacerbate their conditions, leading to a cycle of deteriorating mental health and increased difficulty in managing inmate behaviour.¹

Rehabilitation and Reintegration

One of the primary purposes of incarceration should be rehabilitation and reintegration into society.² However, without adequate mental health services, this goal remains unattainable for many prisoners. Effective mental health treatment can significantly improve inmates' chances of successfully reintegrating into society upon release.³

Policy Recommendations

1. **Increased Funding:** The government must allocate more resources to improve mental health services within the criminal justice system.⁴
2. **Comprehensive Screening and Treatment:** Implement routine mental health screenings for all incoming prisoners and provide ongoing mental health care throughout their incarceration.⁵
3. **Forensic Mental Health Services:** Strengthen forensic mental health services to ensure timely and accurate mental competency evaluations.⁷
4. **Training and Awareness:** Provide training for prison staff on recognising and managing mental health issues among inmates.⁹
5. **Rehabilitation Programs:** Develop and implement rehabilitation programs that address both the mental health needs and social reintegration of prisoners.¹⁰
6. **Implementation of Mental Health Policy:** Developing and implementing mental health policies based on needs assessments will be useful in this regard.¹²

CONCLUSION

Addressing mental health issues in Pakistan requires a multi-pronged approach. Public awareness campaigns should be launched to destigmatize mental illness and promote the importance of mental well-being.⁶ Government policies must prioritise mental health funding, infrastructure development, and professional training.¹ Collaboration between governmental and non-governmental organisations can enhance the reach and effectiveness of mental health initiatives.²

Furthermore, integrating mental health services with primary health care can make these services more accessible to the general population.³ Embracing digital health solutions, such as telepsychiatry, can bridge the gap in areas with limited access to mental health professionals.⁴

In conclusion, while Pakistan faces significant mental health challenges, there is a pathway to improvement. By addressing cultural stigma, socioeconomic determinants, systemic deficiencies, and the unique needs of vulnerable populations, Pakistan can make meaningful progress in the realm of mental health. It is incumbent upon all stakeholders, from policymakers to healthcare providers, to work collectively towards a future where mental health is given the priority it deserves.⁵ Only then can we hope to build a healthier, more resilient society.

REFERENCES

1. Baillargeon J, Binswanger IA, Penn JV, Williams BA, Murray OJ. Psychiatric disorders and repeat incarcerations: the revolving prison door. *Am J Psychiatry*. 2009;166(1):103-109. doi:10.1176/appi.ajp.2008.08030416
2. Fazel S, Hayes AJ, Bartellas K, Clerici M, Trestman R. Mental health of prisoners: prevalence, adverse outcomes, and interventions. *Lancet Psychiatry*. 2016;3(9):871-881. doi:10.1016/S2215-0366(16)30142-0
3. Møller L, Stöver H, Jürgens R, Gatherer A, Nikogosian H, editors. Health in prisons: A who guide to the essentials in prison health [Internet]. World Health Organization Regional Office for Europe; 2007 [cited 4th March 2025]. Available from: <https://iris.who.int/handle/10665/107829>
4. Torrey EF, Kennard AD, Eslinger D, Lamb R, Pavle J. More mentally ill persons are in jails and Prisons Than Hospitals: A survey of the states. Arlington, Alexandria, VA: Treatment Advocacy Center; National Sheriffs' Association; 2010.
5. Kupers TA. Toxic masculinity as a barrier to mental health treatment in prison. *J Clin Psychol*. 2005;61(6):713-724. doi:10.1002/jclp.20105
6. Fazel S, Baillargeon J. The health of prisoners. *Lancet*. 2011;377(9769):956-965. doi:10.1016/S0140-6736(10)61053-7
7. Ogloff JRP, Roesch R, Hart SD. Mental health services in jails and prisons: Legal, clinical, and policy issues. *Law & Psychology Review*. 1994;18:109-136.
8. Ogloff JRP, Davis MR. Advances in offender assessment and rehabilitation: Contributions of the risk-needs-responsivity approach. *Psychology, Crime and Law*. 2004;10(3):229-242. doi: <https://doi.org/10.1080/0683160410001662735>
9. Lamberti JS, Weisman R, Faden DL. Forensic assertive community treatment: preventing incarceration of adults with severe mental illness. *Psychiatr Serv*. 2004;55(11):1285-1293. doi:10.1176/appi.ps.55.11.1285
10. Kessler RC, Chiu WT, Demler O, Merikangas KR, Walters EE. Prevalence, severity, and comorbidity of 12-month DSM-IV disorders in the National Comorbidity Survey Replication [published correction appears in *Arch Gen Psychiatry*. 2005 Jul;62(7):709. Merikangas, Kathleen R [added]]. *Arch Gen Psychiatry*. 2005;62(6):617-627. doi:10.1001/archpsyc.62.6.617

11. Morgan RD, Rozycki AT, Wilson S. Inmate Perceptions of Mental Health Services. *Professional Psychology: Research and Practice*. 2004; 35(4): 389 -396. doi: <https://doi.org/10.1037/0735-7028.35.4.389>
12. Prins SJ. Prevalence of mental illnesses in US State prisons: a systematic review. *Psychiatr Serv*. 2014;65(7):862-872. doi: 10.1176/appi.ps.201300166
13. Afridi MI. Tele-mental and behavioural health: implications in glocal context — a hope to meet the needs of the underserved. *J Pak Med Assoc*. 2013; 63(6): 668-669. Available from: <https://www.archive.jpma.org.pk/article-details/4223>
14. Ministry of Law and Justice, Government of Pakistan. The Mental Health Ordinance 2001 [Internet]. [cited 4th March 2025]. Available from: <https://pakistancode.gov.pk/english/UY2FqaJw1-apaUY2Fqa-cp%2BUY2Fu-sg-jjjjjjjjjjjjjj>

COPYRIGHT

Copyright ©2025 JPPS. Published by Pakistan Psychiatric Society. Re-use permitted under CC BY-NC. <http://creativecommons.org/licenses/by-nc/4.0/> This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

